## Sanitized - Approved For Release : CIA-RDP70 (004) 11 June 2001 100123-7

Report for Week Ending 29 January 1958 from RECORDS DISPOSITION BRANCH

i			
1.	Assig	gnments - Active 25X1A9a	
	a.	Project 6-40 OCR No change. 25X1A9a	
	b.	Project 6-90 Commercial Staff  Authority to dispose of one item, submitted to the National Archives in August, has been received and approval granted. This action completes the survey in this Staff.  25X1A9a	
25X1A8a 25X1A	с <b>.</b> 8а	Project 8-18 00  Schedule is being prepared for resubmission to the for signature. Several series of files are being for signature with disposition in-	25X1A8a
	đ.	readied for retirement in additional readied for retirement in additional reading and schedule.  Structions under the revised schedule.  Project 8-20 ORR Economic Area	25X1A9a
	α.•	No change.	
	е.	Project 8-49 OP/Position Evaluation Division Completed installation of subject numeric file in Office of the Chief, Position Evaluation Division, OP. Results: trained one employee; 1958 folders in use; 1957 material for trained one employee; 1958 folders and duplicate material under new system; 4 cu. ft. obsolete and duplicate material destroyed; 4 cu. ft. of pre-1957 records transferred to inactive storage area outside immediate office of C/PED.	TIEU
25X1A8a	f.	n.	25X1A9a
25X1A9a	g•	Project 6-95 Office of Personnel  Some minor changes in record keeping methods within the Office of The Director has been reported to us by Mr.  ARO/OP. Mr. indicated he would like these changes incorporated in the revised Records Control Schedule before we request the Directors approval of the schedule. We are now awaiting classification and the extent of these changes from Mr.  25X1A9a	
	h	Project 8-48 Medical Staff  A recommendation to use open file shelving and the specifications necessary to prepare a purchase order for the shelving was forwarded to the Chief, Medical for the shelving was forwarded to the chief, Medical for the shelving was forwarded to the Chief, Medical for the shelving was forwarded to the Chief, Medical for the shelving was forwarded to the Chief, Medical for the shelving was forwarded to the Chief, Medical for the shelving was forwarded to the Chief, Medical for the shelving and the specific shelving shelvi	25X1A9a

Staff, on 28 January. The recommendation submitted was previously agreed to by the Administrative Office

and the Registrar. Approximately \$3600 worth of filing equipment (40 5-drawer cabinets) will be released if

Sanitized - Apply File De Noise : CIA-RDP70-00211R000200180129-7

## Sanitized - Approved For Release : CIA-RDP70-09211R000200180129-7

the plan is accepted. Shelving which will provide a 30% savings in floor space will give a 25% increase in usable filing space at a cost of \$1500. Project is 25X1A9a complete.

Comptroller, Machine Records Division No change in this project.

Map Library Division/ORR j. No change in this project. 25X1A9a

25X1A8a

k. 25X1A9a

5X1A9a 25X1A9a 25X1A9a

Project 8-56 ORR-Geographic Area 1. Met with Chief, Geographic Area, and discussed the installation of subject-numeric files in the divisions and branches of the Areas. Began installation of the file system in the Chief/G files. Approximately 12 cu. ft. of records are being retired and 2 cu. ft. will be destroyed.

25X1A9a Project 8-57 DD/S m. A review and audit of the DD/S Records Management Program was begun. The files maintained by the Regulations Control Staff have been surveyed. Miss I delay her portion of the survey until a member of her staff returns from sick leave.

25X1A9a

Review of Subject Files Installations in OP. n. Continued follow-up on previous installations (5) of subject-numeric files in OP to assist in establishment of new files for 1958 and cut-off of 1957 files. New 1958 folders installed in offices of Chief, Personnel Procurement Division and of Chief, Position Evaluation Division; being prepared by TAS Pool/OP for and DD/Pers/PD. prepared by IAS Pool/OP for

25X1A8a

2. News Office of General Counsel, ONE and Medical Staff are being assisted in records retirement.

Met with DD/P, ARO representative to discuss future storage requirements in the Records Center. Volume of material to be retired is likely to exceed estimates of a year ago.

regarding reduction Two meetings were held with Mr. of items appearing on the VM availability register.

25X1A9a

25X1A9a

Sanitized - Approved For Release : CIA-RDP70-00211R000200180129-7